

## Color & Graphics

---



- The complete display system is:
  - Model
  - Frame Buffer
  - Screen
  - Eye
  - Brain

## Color & Vision


---



- We'll talk about:
  - Light
  - Visions
  - Psychophysics, Colorimetry
  - Color
    - Perceptually based models
    - Hardware models


# Light

- Vision = perception of electromagnetic energy (EM radiation)
- Very small portion of EM spectrum perceptible:



# Vision: The Eye

- A dynamic, biological camera!
  - a lens
  - a focal length
  - an equivalent of film



- The lens must focus directly on the retina for perfect vision

## Vision: The Retina




- The eye's "film"
- Covered with cells sensitive to light
  - turn light into electrochemical impulses
- Two types of cells
  - rods
  - cones

## Vision: Rods



- Sensitive to most wavelengths (brightness)
- About 120 million in eye
- Most outside of fovea (center of retina)
- Used for low light vision

- Absorption function:



## Vision: Cones




- Three kinds
  - R sensitive to long wavelengths
  - G to middle
  - B to short
- About 8 million in eye
- Highly concentrated in fovea
  - B cones more evenly distributed than others
- Used for high detail color vision

## Vision: Cones



- The absorption functions of the cones are:




# Psychophysics



## ■ Spectral Energy Distribution

- measure intensity of light at unit wavelength intervals of electromagnetic spectrum from ~400 nm to ~700 nm



# Psychophysics



- Dominant Wavelength  $\cong$  hue
- Excitation Purity  $\cong$  saturation
- Luminance  $\cong$  intensity
  - Lightness: luminance from a reflecting object
  - Brightness: luminance from a light source
- To mix colors
  - mix power distributions!

## Color Mixing: Additive

---



- Luminous objects emit s.e.d.
- Linearly add s.e.d.'s
- Primaries: red green blue
- Complements: cyan magenta yellow
  
- e.g. Monitors, lights

## Color Mixing: Subtractive

---




- Reflective objects absorb (or filter) light
- Can't subtract s.e.d.'s
  - Filters: transmission functions
  - Pigment: suspension, scattering of light
- Primaries: red yellow blue
- Complements: green violet orange
  
- E.g., ink, film, paint, dye

## Colorimetry



- Based on matching colors using additive color mixing



- Tristimulus Values
- Metamers
  - Different s.e.d.'s that appear the same
  - Same tristimulus values

## Colorimetric Color Models



- Generated color match functions (fig 13.20)
  - match each wavelength, multiple people
  - some colors require negative red!
- CIE produced two device independent models:
  - 1931: Measured on 10 subjects (!) on samples subtending 2 (!) degrees of the field of view
  - 1964: Measured on larger number of subjects subtending 10 degrees of field of view

## CIE 1931 Imaginary Primaries

---



- Defines three new primary "colors"
  - X, Y and Z
  - Color match functions all positive valued
  - Y's fcn corresponds to luminance-efficiency function
- To define a color
  - weights  $x, y, z$  for the X, Y, Z primaries  
(e.g. color =  $xX + yY + zZ$ )

## CIE 1931 Chromaticity

---




- X, Y and Z form a three dimensional color volume
  - Y is luminance, others aren't intuitive
- Factor luminance by normalizing so  $x+y+z = 1$
- Gives *chromaticity* values:
  - $x' = x/(x+y+z)$
  - $y' = y/(x+y+z)$
  - $z' = 1 - x' - y'$

# CIE 1931 Chromaticity Diagram




- Chromaticity diagram
  - Plot of  $x'$  vs.  $y'$
- Additive color mixing
  - linear interpolation
- Color gamuts
  - range of possible colors for a device
  - convex hull of primary colors
  - Color plate II.2



# CIE 1931 Chromaticity Diagram




- Dominant Wavelength/Hue:
  - inscribe line from  $C$  through color ( $A$ ) to edge of diagram ( $H$ )
- Saturation
  - $\frac{\text{distance } C-A}{\text{distance } C-H}$
- Complements
  - inscribe line through  $C$  to the edge of the diagram ( $H'$ )
- What if edge is bottom?



## Hardware Models: RGB (Additive Color)

- (red, green, blue)
- Parameters vary between 0 and 1




Hard to achieve intuitive effects:

- Hue is defined by the one or two largest parameters
- Saturation controlled by varying the collective minimum value of R, G and B
- Luminance controlled by varying magnitudes while keeping ratios constant

## Hardware Models: CMY, CMYK (Subtractive Color)

- (cyan, magenta, yellow, +black)
- All parameters vary between 0 and 1




- $K = \min(C, M, Y)$
- subtract K from each

## Intuitive Hardware Models: HSV



### ■ (hue, saturation, value)

- value roughly luminance
- hue: (0...360), saturation/value: (0...1)




- Simple xform of RGB
- What do hexagonal and triangle cross sections look like?

## Intuitive Hardware Models: HLS



### ■ (hue, lightness, saturation)

- lightness roughly luminance
- hue: (0...360), saturation/value: (0...1)



- saturated colors at  $l=0.5$
- *tints* above, *shades* below
- What do hexagonal and triangle cross sections look like?

## Problem: Value/Lightness NOT Luminance

---



- Fully saturated colors (same v/l) have far different Y values in XYZ (Sun 17" monitor, 1991):

<u>Colour</u>	<u>RGB</u>	<u>XYZ</u>	<u>Chromaticity</u>
White	1 1 1	0.951 1.000 1.088	0.313 0.329
Red	1 0 0	0.589 0.290 0.000	0.670 0.330
Green	0 1 0	0.179 0.605 0.068	0.210 0.710
Blue	0 0 1	0.183 0.105 1.020	0.140 0.080
Cyan	0 1 1	0.362 0.710 1.088	0.168 0.329
Magenta	1 0 1	0.772 0.395 1.020	0.363 0.181
Yellow	1 1 0	0.768 0.895 0.068	0.444 0.517

## Problem: None of these models are perceptually uniform

---



- Perceived distance between two colors not proportional to linear distance
- Uniform Color Spaces
  - Non-linear deformations
  - OSA Uniform Color Space (limited range)
  - CIELUV
  - CIELAB

## Issue: Device-independent color

---



- Must use CIEXYZ
  - ie. Apple Colorsync
- RGB = (0.3,0.2,0.55) tells you what computer generates, not what the monitor will display!
  - Depends on phosphors, room lighting, monitor adjustment
- Moving between devices (and media)
  - Go through XYZ
  - Must know properties of devices