



# Ubicomp and Physical Interaction

---




**Georgia  
Tech**






# Ubicomp?

- Computation embedded in the physical spaces around us
- “Ambient intelligence”
- Take advantage of naturally-occurring actions and activities to support people
  - Input in the real world
  - Output in the real world also
- Culmination of our discussion of natural data types
- “Context-aware computing” -- making computers more aware of the context of the people who are using them




# What is Context?

- Any information that can be used to characterize the situation of an entity
  - Who, what, where, when
- Why is it important?
  - information, usually implicit, that applications do not have access to
  - It's input that you don't get in a GUI



# How to Use Context

- To present relevant information to someone
  - Mobile tour guide
- To perform an action automatically
  - Print to nearest printer
- To show an action that use can choose
  - Want to phone the number in this email?






## Case Study: tour guides

- Very popular theme
  - Location is an easy piece of context
- G.Abowd et al. Cyberguide: A mobile context-aware tour guide. ACM Wireless Networks, 3:5, 1997.




# How Cyberguide worked





# Why is this hard?

- Steps
  - Acquisition
  - Representation
  - Interpretation
  - Storage
  - Delivery
  - Reaction
- Most of these steps repeated in all development.




# Early Work on Context Support


- Bill Schilit, Xerox PARC
  - Main software architect of PARCTab
  - Location-aware rules for app behavior








# The Context Toolkit



D. Salber, A. Dey & G. Abowd. The Context Toolkit: Aiding the development of context-enabled applications. *CHI '99*, pp. 434-441.


Toolkit available at: <http://www.cc.gatech.edu/fce/ctl>


- Three main abstractions:
  - Context widget
  - Interpreter
  - Aggregator



# The Context Toolkit


- Context component abstraction






# Simple Example: In/Out Board


FCL In/Out Board					
<b>Gregory Abowd</b>		Out 10:50am	<b>Jen Mankoff</b>		In 12:08pm
<b>Jason Brotherton</b>		In 9:28am	<b>David Nguyen</b>		In 11:09am
<b>Anind Dey</b>		In 12:08pm	<b>Rob Orr</b>		Out 1:25pm
<b>M. Futakawa</b>		In 12:00pm	<b>Maria Pimentel</b>		Out 5:54pm
<b>Y. Ishiguro</b>		Out 10:52am	<b>Daniel Salber</b>		In 10:14am
<b>Rob Kooper</b>		Out 5:26pm	<b>Brad Singletary</b>		Out 2:59pm
<b>Kent Lyons</b>		Out 12:27pm	<b>Khai Truong</b>		Out 1:25pm



# Simple Example: In/Out Board


<b>Gregory Abowd</b>  Out 10:50am	<b>Jen Mankoff</b>  In 12:08pm
<b>Jason Brotherton</b>  In 9:20am	<b>David Nguyen</b>  In 11:09am
<b>Anind Dey</b>  In 12:08pm	<b>Rob Orr</b>  Out 1:25pm
<b>M. Futakawa</b>  In 12:00pm	<b>Maria Pimentel</b>  Out 5:54pm
<b>Y. Ishiguro</b>  Out 10:52am	<b>Daniel Salber</b>  In 10:14am
<b>Rob Kooper</b>  Out 5:26pm	<b>Brad Singletary</b>  Out 2:59pm
<b>Kent Lyons</b>  Out 12:27pm	<b>Khai Truong</b>  Out 1:25pm






# What remains hard?

- Sensing...
- Actuation...
- We'll get back to how to address these (Phidgets)




# Example: Intelligent Spaces

- Stanford Interactive Workspaces Project: iRoom
- Since 1999
- <http://iwork.stanford.edu>
- Focus:
  - Single room
  - Collection of large/small displays
  - Synchronous, collocated, small workgroups



# Guiding Principles


- Rely on social conventions
  - User control vs. automatic “smart” behavior
  - The Semantic Rubicon
- Wide applicability
  - Think about variety of interactive spaces
- Simplicity
  - From user and developer perspective



# Displays


- Tiled SmartBoards
- Interactive Mural
- Table top
- Laptops






# Interaction Techniques

- Point Right
  - Brad Johanson, M. Stone and T. Winograd, PointRight: Experience with Flexible Input Redirection in Interactive Workspaces, UIST 2002.
- Simplified control of mouse/keyboard input focus across multiple displays




# Interaction Techniques

- Flow Menu
  - F. Guimbrètiere and T. Winograd. Flow Menu: Combining Command, Text and Data Entry. UIST 2000.
- Smooth integration of command selection and parameter input for pen-based interaction.




# Interaction Techniques

- Multibrowsing
  - B. Johanson, S. Ponnekanti, C. Sengupta, A. Fox. Multibrowsing: Moving web content across multiple displays. Ubicomp 2001.
- Technique for integrating Web content with multiple displays.




# Interaction Techniques

- Scaling behavior in interactive mural
  - F. Guimbrètiere, M. Stone and T. Winograd, Fluid Interaction with High-resolution wall-size displays. UIST 2001.




# Infrastructure

- Services for
  - Data
  - Control
  - Coordination
- iROS
  - Interactive Room Operating System




# Infrastructure

- Event Heap
  - B. Johanson and A. Fox. The Event Heap: A Coordination Infrastructure for Interactive Workspaces
  - Proc. 4th IEEE Workshop on Mobile Computing Systems and Applications (WMCSA 2002), June 2002.
- Tuple space implementation
  - Minimize application coordination dependency



# Infrastructure


- iCrafter
  - S. Ponnekanti, B. Lee, Armando Fox, Pat Hanrahan, and T. Winograd. ICrafter: A Service Framework for Ubiquitous Computing Environments, Ubicomp 200.
- Flexible I/O interaction with services in an interactive workspace



# Infrastructure

- iStuff
  - <http://www.stanford.edu/~borchers/istuff/>
- Simplifying use of physical I/O devices
  - Similar in spirit to phidgets







## Related Work

- Spaces
  - CoolTown (HP Labs)
  - eClass, Aware Home (GT)
  - Intelligent Room (MIT)
    - <http://www.ai.mit.edu/projects/iroom/>
  - Easy Living (Microsoft Research)
  - Ambient Workpaces (Fraunhofer/IPSI, Germany)
    - <http://www.ipsi.fhg.de/ambiente/english/index.html>
  - House\_n (MIT)
    - [http://architecture.mit.edu/house\\_n/](http://architecture.mit.edu/house_n/)

# What about sensing and actuation?



- Would like to be able to sense activities in the physical world *and then present feedback/actions in the physical world also*
- **Tangible User Interfaces**



# Tangible User Interfaces


- Hiroshi Ishii (MIT)
- **Tangible Bits**
  - physical form to digital information
- **Tangible User Interfaces**
  - physical objects, surfaces, and spaces that act as tangible embodiments of digital information






# Triangles

- Pieces are connected together to trigger digital events
  - influence the progress of a non-linear story
  - organize media elements in order to create their own story space






# LumiTouch

- Two interactive picture frames
  - User's touching of a local frame translates to a glow on remote frame
  - She's thinking of him
  - He's thinking of her






# Tangible Video Browser


- Tokens are used to:
  - Act as container for videos
  - Select a video
  - Navigate within the video






## What remains hard?

- Well...*everything* according to the paper
  - While an exciting new area, everyday programmers still face considerable hurdles if they wish to create even simple physical user interfaces. Perhaps the biggest--but we believe easily solved---obstacle is the sheer difficulty of developing and combining physical devices and interfacing them to conventional programming languages.



## Related Work


Tools for working with  
physical input/output  
devices




iRX Board

Digital I/O boards

Tini boards









# Problems


- Hard to build
- No API
- API at wrong abstraction level
- Oriented to different markets
- Difficult to write/debug w/o actual devices
- We'd like to have something that is
  - Simple so developers concentrate on overall use, modification, and recombination
  - Easy for average programmer



# Phidgets!

- “Physical widgets”
  - Easily composable hardware devices
  - Provide sensing and actuation
- <http://grouplab.cpsc.ucalgary.ca/phidgets/> -- research project page
- <http://www.phidgets.com/> -- online store
- Basis concepts:
  - Connection manager
  - ID
  - Simulation mode





# Phidget Manager

onAttach()

onDetach()

Count

Item

DeviceType


isAttached()

SerialNumber



# Example: Phidget Servo

- MotorPosition
- NumMotors
- onPositionChanged()





# Drawbacks

- Need PC
- Not mobile
- Not easy to deploy