

## Ubicomp and Physical Interaction



## Ubicomp?

- Computation embedded in the physical spaces around us
- “Ambient intelligence”
- Take advantage of naturally-occurring actions and activities to support people
  - Input in the real world
  - Output in the real world also
- Culmination of our discussion of natural data types
- “Context-aware computing” -- making computers more aware of the context of the people who are using them

2

## What is Context?

- Any information that can be used to characterize the situation of an entity
  - Who, what, where, when
- Why is it important?
  - information, usually implicit, that applications do not have access to
  - It's input that you don't get in a GUI

3

## How to Use Context

- To present relevant information to someone
  - Mobile tour guide
- To perform an action automatically
  - Print to nearest printer
- To show an action that use can choose
  - Want to phone the number in this email?



4

## Case Study: tour guides

- Very popular theme
  - Location is an easy piece of context
- G.Abowd et al. Cyberguide: A mobile context-aware tour guide. ACM Wireless Networks, 3:5, 1997.

5

## How Cyberguide worked



6

## Why is this hard?

- Steps
  - Acquisition
  - Representation
  - Interpretation
  - Storage
  - Delivery
  - Reaction
- Most of these steps repeated in all development.

7

## Early Work on Context Support

- Bill Schilit, Xerox PARC
  - Main software architect of PARCTab
  - Location-aware rules for app behavior



8

## The Context Toolkit




D. Salber, A. Dey & G. Abowd. The Context Toolkit: Aiding the development of context-enabled applications. CHI '99, pp. 434-441.

Toolkit available at: <http://www.cc.gatech.edu/fce/ctk>

- Three main abstractions:  
Context widget  
Interpreter  
Aggregator

## The Context Toolkit

- Context component abstraction




## Simple Example: In/Out Board

|                  |             |                 |            |
|------------------|-------------|-----------------|------------|
| Gregory Abowd    | Out 10:50am | Jen Mankoff     | In 12:00pm |
| Jason Brotherton | In 9:30am   | David Nguyen    | In 11:00am |
| Anind Dey        | In 12:00pm  | Rob Orr         | Out 1:20pm |
| M. Putakawa      | In 12:00pm  | Maria Pimentel  | Out 5:54pm |
| Y. Ishiguro      | Out 10:52am | Daniel Salber   | In 10:14am |
| Rob Kooper       | Out 5:26pm  | Brad Singletary | Out 2:50pm |
| Kent Lyons       | Out 12:27pm | Khai Truong     | Out 1:25pm |

## Simple Example: In/Out Board

|                  |             |                 |            |
|------------------|-------------|-----------------|------------|
| Gregory Abowd    | Out 10:50am | Jen Mankoff     | In 12:00pm |
| Jason Brotherton | In 9:30am   | David Nguyen    | In 11:00am |
| Anind Dey        | In 12:00pm  | Rob Orr         | Out 1:20pm |
| M. Putakawa      | In 12:00pm  | Maria Pimentel  | Out 5:54pm |
| Y. Ishiguro      | Out 10:52am | Daniel Salber   | In 10:14am |
| Rob Kooper       | Out 5:26pm  | Brad Singletary | Out 2:50pm |
| Kent Lyons       | Out 12:27pm | Khai Truong     | Out 1:25pm |



## What remains hard?

- Sensing...
- Actuation...
- We'll get back to how to address these (Phidgets)

13

## Example: Intelligent Spaces

- Stanford Interactive Workspaces Project: iRoom
- Since 1999
- <http://iwork.stanford.edu>
- Focus:
  - Single room
  - Collection of large/small displays
  - Synchronous, colocated, small workgroups

14

## Guiding Principles

- Rely on social conventions
  - User control vs. automatic "smart" behavior
  - The Semantic Rubicon
- Wide applicability
  - Think about variety of interactive spaces
- Simplicity
  - From user and developer perspective

15

## Displays

- Tiled SmartBoards
- Interactive Mural
- Table top
- Laptops

16

## Interaction Techniques

- Point Right
  - Brad Johanson, M. Stone and T. Winograd, PointRight: Experience with Flexible Input Redirection in Interactive Workspaces, UIST 2002.
- Simplified control of mouse/keyboard input focus across multiple displays

17

## Interaction Techniques

- Flow Menu
  - F. Guimbrètiere and T. Winograd. Flow Menu: Combining Command, Text and Data Entry. UIST 2000.
- Smooth integration of command selection and parameter input for pen-based interaction.

18

## Interaction Techniques

- Multibrowsing
  - B. Johanson, S. Ponnekanti, C. Sengupta, A. Fox. Multibrowsing: Moving web content across multiple displays. Ubicomp 2001.
- Technique for integrating Web content with multiple displays.

19

## Interaction Techniques

- Scaling behavior in interactive mural
  - F. Guimbrètiere, M. Stone and T. Winograd, Fluid Interaction with High-resolution wall-size displays. UIST 2001.

20

## Infrastructure

- Services for
  - Data
  - Control
  - Coordination
- iROS
  - Interactive Room Operating System

21

## Infrastructure

- Event Heap
  - B. Johanson and A. Fox. The Event Heap: A Coordination Infrastructure for Interactive Workspaces
  - Proc. 4th IEEE Workshop on Mobile Computing Systems and Applications (WMCSA 2002), June 2002.
- Tuple space implementation
  - Minimize application coordination dependency

22

## Infrastructure

- iCrafter
  - S. Ponnekanti, B. Lee, Armando Fox, Pat Hanrahan, and T. Winograd. ICrafter: A Service Framework for Ubiquitous Computing Environments, Ubicomp 200.
- Flexible I/O interaction with services in an interactive workspace

23

## Infrastructure

- iStuff
  - <http://www.stanford.edu/~borchers/istuff/>
- Simplifying use of physical I/O devices
  - Similar in spirit to phidgets

24

## Related Work

- Spaces
  - CoolTown (HP Labs)
  - eClass, Aware Home (GT)
  - Intelligent Room (MIT)
    - <http://www.ai.mit.edu/projects/iroom/>
  - Easy Living (Microsoft Research)
  - Ambient Workspaces (Fraunhofer/IPS, Germany)
    - <http://www.ipsi.fhg.de/ambiente/english/index.html>
  - House\_n (MIT)
    - [http://architecture.mit.edu/house\\_n/](http://architecture.mit.edu/house_n/)

25

## What about sensing and actuation?

- Would like to be able to sense activities in the physical world *and then present feedback/actions in the physical world also*
- **Tangible User Interfaces**

26

## Tangible User Interfaces


- Hiroshi Ishii (MIT)
  - **Tangible Bits**
    - physical form to digital information
  - **Tangible User Interfaces**
    - physical objects, surfaces, and spaces that act as tangible embodiments of digital information



27

## Triangles

- Pieces are connected together to trigger digital events
  - influence the progress of a non-linear story
  - organize media elements in order to create their own story space



28

## LumiTouch

- Two interactive picture frames
  - User's touching of a local frame translates to a glow on remote frame
  - She's thinking of him
  - He's thinking of her



29

## Tangible Video Browser

- Tokens are used to:
  - Act as container for videos
  - Select a video
  - Navigate within the video



30


## What remains hard?

- Well...everything according to the paper
  - While an exciting new area, everyday programmers still face considerable hurdles if they wish to create even simple physical user interfaces. Perhaps the biggest--but we believe easily solved---obstacle is the sheer difficulty of developing and combining physical devices and interfacing them to conventional programming languages.


31

## Related Work

Tools for working with physical input/output devices



iRX Board  
Digital I/O boards  
Tini boards



32



## Problems


- Hard to build
- No API
- API at wrong abstraction level
- Oriented to different markets
- Difficult to write/debug w/o actual devices
- We'd like to have something that is
  - Simple so developers concentrate on overall use, modification, and recombination
  - Easy for average programmer

33

## Phidgets!

- “Physical widgets”
  - Easily composable hardware devices
  - Provide sensing and actuation
- <http://grouplab.cpsc.ucalgary.ca/phidgets/> -- research project page
- <http://www.phidgets.com/> -- online store

- Basis concepts:
  - Connection manager
  - ID
  - Simulation mode



34

## Phidget Manager

onAttach()  
onDetach()


Count  
Item

DeviceType  
isAttached()  
SerialNumber

35

## Example: Phidget Servo

- MotorPosition
- NumMotors
- onPositionChanged()



36

## Drawbacks

- Need PC
- Not mobile
- Not easy to deploy