

Name : \_\_\_\_\_

Grading TA: \_\_\_\_\_

- **INTEGRITY:** By taking this exam, you pledge that this is your work and you have neither given nor received inappropriate help during the taking of this exam in compliance with the Academic Honor Code of Georgia Tech. Do NOT sign nor take this exam if you do not agree with the honor code.
- **DEVICES:** If your cell phone, pager, PDA, beeper, iPod, or similar item goes off during the exam, you will lose 10 points on this exam. Turn all such devices off and put them away now. You cannot have them on your desk.
- **ACADEMIC MISCONDUCT:** Academic misconduct will not be tolerated. You are to uphold the honor and integrity bestowed upon you by the Georgia Institute of Technology.
  - Keep your eyes on your own paper.
  - Do your best to prevent anyone else from seeing your work.
  - Do NOT communicate with anyone other than a proctor for ANY reason in ANY language in ANY manner.
  - Do NOT share ANYTHING during the exam. (This includes no sharing of pencils, paper, erasers).
  - Follow directions given by the proctor(s).
  - Stop all writing when told to stop. Failure to stop writing on this exam when told to do so is academic misconduct.
  - Do not use notes, books, calculators, etc during the exam.
- **TIME:** Don't get bogged down by any one question. If you get stuck, move on to the next problem and come back once you have completed all of the other problems. This exam has 5 questions on 8 pages including the title page. Please check to make sure all pages are included. You will have 50 minutes to complete this exam.

*I commit to uphold the ideals of honor and integrity by refusing to betray the trust bestowed upon me as a member of the Georgia Tech community. I have also read and understand the requirements outlined above.*

Signature: \_\_\_\_\_

Question	Points	Score
1. Multiple Choice	10	
2. Short Answer	10	
3. Turtle Drawing	10	
4. SmallestOf3	6	
5. findFloats	10	
Total:	46	

## 1. (10 points)

For each of the following multiple choice questions, indicate the best answer by circling it.

(a) [1 pt] Which variable name(s) below is/are invalid in Python?

- A. `1st_num`
- B. `num_1st`
- C. `num-1st`
- D. `firstNum`
- E. A, B, and C
- F. A and C
- G. A,B,C and D

(b) [1 pt] What is the type of the `a` variable after this line of code is executed?

```
a = print("7")
```

- A. String   B. Integer   C. Float   D. Boolean   E. NoneType   F. `a` is not assigned due to an error.

(c) [1 pt] What happens when the following code is ran?

```
x = 20
if x < 17:
    print("It's less than 17!")
elif x = 17:
    print("It's equal!")
else:
    print("It's greater than 17!")
```

- A. prints: It's less than 17!
- B. prints: It's equal!
- C. prints: It's greater than 17!
- D. Nothing is printed
- E. A syntax error is generated

- (d) [1 pt] Which of the following data types is/are immutable?  
A. Lists    B. Tuples    C. Dictionaries    D. All of the above    E. None of the above
- (e) [1 pt] What is printed by the following lines of code?  
`myWords = ["What", "Is", "Your", "Name"]`  
`newWords = myWords[0] + myWords[-1]`  
`print(newWords)`  
A. ['What', 'Your']  
B. ['What', 'Name']  
C. WhatName  
D. 'WhatName'  
E. WhatYour  
F. 'WhatYour'  
G. IndexError: list index out of range
- (f) [1 pt] Which of the following successfully creates a COPY of the list A with the number 4 appended to the end?  
A. `B = A + 4`  
B. `B = A + [4]`  
C. `B = A.append(4)`  
D. `B = A.copy() + 4`  
E. `B = A.copy() + [4]`
- (g) [1 pt] Which of the following code fragments correctly prints the sentence contained in the list below WITHOUT commas or brackets on a single line?  
`aList = ['GO', "Yellowjackets", '!']`  
A. `print(str(aList))`  
B. `aStr = ""`  
`for word in aList:`  
`aStr = aStr + word`  
`print(aStr)`  
C. `for word in aList:`  
`print(word)`  
D. `print(aList[:])`

- (h) [1 pt] Examine the following code:

```
import turtle
wn = turtle.Screen()
buzz = turtle.Turtle()
buzz.forward(60)
for length in range(5)
    buzz.left(30)
    buzz.forward(40)
wn.mainloop()
```

When the above code is executed, the turtle travels a total distance X and turns degrees D:

- A. X = 260, D = 150
  - B. X = 300, D = 150
  - C. X = 260, D = 180
  - D. X = 300, D = 150
  - E. X = 180, D = 300
  - F. X = 150, D = 260
- (i) [1 pt] Examine the following code segments. Which of the following will successfully convert "CS 2315" into "CS 2316"?

```
orig = "CS 2315"
```

- A. `new = orig[0:len(orig)-1] + "6"`
  - B. `new = orig[0:len(orig)] + "6"`
  - C. `new = orig`  
`new[6] = "6"`
  - D. A and C
  - E. B and C
  - F. A, B and C
- (j) [1 pt] Given the following code, what is the data type of the value stored in the "myAns" variable?

```
def factorial(myInt):
    fact=1
    for i in range(myInt):
        fact = fact * (i+1)
    print(fact)
```

```
myAns = factorial(4)
```

- A. Generator   B. Range   C. Bool   D. Int   E. Float   F. NoneType

2. (10 points)

For each of the following questions, give a brief answer:

(a) [2 pts] What is the type of `x` in the following line of code? `x = input("enter a number:")`

(b) [2 pts] What is a boolean expression?

(c) [3 pts] List the three logical operators (NOT comparison operators) in Python. Then, give an example expression for each that evaluates to False.

(d) [3 pts] What is the difference between printing a value in a function and returning that value?

## 3. (10 points)

Examine the following code. Draw the window and the path that the turtle draws. Be sure to indicate the final stopping point of the turtle. Label the length of any line or line-segment you draw.

```
import turtle

def drawMe(myDirections):
    wn = turtle.Screen()
    for direction in myDirections:
        if type(direction) == int:
            if direction == 100 or direction == 200:
                turtle.forward(direction)
            else:
                turtle.backward(direction)
        else:
            if direction.lower() == "right":
                turtle.right(90)
            elif direction.lower() == "left":
                turtle.left(90)
            else:
                pass
    wn.mainloop()

drawMe(["right", 100, "left", 50, "RiGht", 100, "diagonal", 50])
```

4. (6 points)

Write a function called **smallestOfThree** that accepts three integer parameters. The function will return the smallest of the three parameters. If several of the parameters are the same (and the smallest) it may return either of the same (smallest) parameters.

**Example test cases:**

```
>>>smallestOfThree(1,5,10)
1
>>>smallestOfThree(5,5,5)
5
>>>smallestOfThree(5,5,1)
1
```

5. (10 points)

Write a function named `findFloats` that takes in list of data, and returns a new list containing only the floats. Your function should go through each item in the original list and check to see if it is a float. If it is a floating point number, you should copy it to a new list. After you have done this for all items in the original list, return the new list.

**Example run:**

```
>>> result = findFloats( [10.0, 5, True, 'Testing', 11.2] )
>>> print( result )
[10.0, 11.2]
>>>
```