



Query Execution + Retrospective

CREATING THE NEXT®

Administrivia

Gift + EVA

Team : Dec 1
12-22

- Assignment 4 and Sheet 4 due on Dec 3.
- Project presentations on Dec 1 and Dec 6.
- Report due on Dec 6.

Team : Dec 6
1-11

2.5% : CLOS

> 80%

report




Today's Agenda

Query Execution (Part 1)

- 1.1 Recap
- 1.2 Processing Models
- 1.3 Access Methods
- 1.4 Expression Evaluation
- 1.5 Retrospective

Recap

Join Algorithms: Summary


Join Algorithm	IO Cost	Example
Simple Nested Loop Join	$M + (m \times N)$	1.3 hours
Block Nested Loop Join	$M + (M \times N)$	50 seconds
Index Nested Loop Join	$M + (M \times C)$	Variable
Sort-Merge Join	$M + N + (\text{sort cost})$	0.75 seconds
Hash Join	$3 \times (M + N)$	0.45 seconds

Execution Engine

Query Plan

- The operators are arranged in a tree.
- Data flows from the leaves of the tree up towards the root.
- The output of the root node is the result of the query.

```
SELECT R.id, S.cdate
FROM R, S
WHERE R.id = S.id AND S.value > 100
```



Processing Models

Processing Model

- A DBMS's processing model defines how the system executes a query plan.
 - ▶ Different trade-offs for different workloads.

- Approach 1: Iterator Model
- Approach 2: Materialization Model
- Approach 3: Vectorized / Batch Model

$k=1$

$k=M$

$k=100 /$

Sort

— Pipeline breaker


1000 tuples

Iterator Model

- Each query plan operator implements a Next function.
 - ▶ On each invocation, the operator returns either a single tuple or a null marker if there are no more tuples.
 - ▶ The operator implements a loop that calls next on its children to retrieve their tuples and then process them.
- Also called volcano or pipeline model


Filter, Join

Iterator Model




Iterator Model

Handwritten: Disk-bound systems



Handwritten: In-memory system: Vectorized / Makroplan

Iterator Model




Iterator Model

- This is used in almost every DBMS. Allows for tuple pipelining
- Some operators have to block until their children emit all of their tuples.
- These operators are known as pipeline breakers
 - ▶ Joins, Subqueries, Order By
- Output control (e.g., LIMIT) works easily with this approach.
- Examples: SQLite, MySQL, PostgreSQL

(A deep dive Query Optimization)


Materialization Model

- Each operator processes its input all at once and then emits its output all at once.
 - ▶ The operator "materializes" its output as a single result.
 - ▶ The DBMS can push down hints into to avoid scanning too many tuples (e.g., LIMIT).
 - ▶ Can send either a materialized row or a single column.
- The output can be either whole tuples (NSM) or subsets of columns (DSM)




Materialization Model


in-memory
RBS



Materialization Model



Materialization Model



Materialization Model

- Better for OLTP workloads because queries only access a small number of tuples at a time.
- Lower execution / coordination overhead.
- Fewer function calls.
- Not good for OLAP queries with large intermediate results.
- Examples: MonetDB, VoltDB

CWI

distributed

Vectorization Model

$k=100, 1000$

- Like the Iterator Model where each operator implements a Next function in this model.
- Each operator emits a batch of tuples instead of a single tuple.
 - ▶ The operator's internal loop processes multiple tuples at a time.
 - ▶ The size of the batch can vary based on hardware or query properties.
 - ▶ Useful in in-memory DBMSs (due to fewer function calls)
 - ▶ Useful in disk-centric DBMSs (due to fewer IO operations)

Vectorization Model

```

out = [ ]
for t in child.Next():
  out.add(projection(t))
  if |out|>n: emit(out)
  
```

```

out = [ ]
for t1 in left.Next():
  buildHashTable(t1)
for t2 in right.Next():
  if probe(t2): out.add(t1⋈t2)
  if |out|>n: emit(out)
  
```

```

out = [ ]
for t in child.Next():
  if evalPred(t): out.add(t)
  if |out|>n: emit(out)
  
```

```


out = [ ]
for t in R:
  out.add(t)
  if |out|>n: emit(out)
  
```

```

out = [ ]
for t in S:
  out.add(t)
  if |out|>n: emit(out)
  
```

```


SELECT R.id, S.cdate
FROM R JOIN S
ON R.id = S.id
WHERE S.value > 100
  
```



Vectorization Model

lowlat > n
n=1


Inkennung
Abstrakt
Operatoren




```

SELECT R.id, S.cdate
FROM R JOIN S
ON R.id = S.id
WHERE S.value > 100
    
```

n=∞



Vectorization Model



Vectorization Model

where $k=100$

$k=512$

- Ideal for OLAP queries because it greatly reduces the number of invocations per operator.
- Allows for operators to use vectorized (SIMD) instructions to process batches of tuples.
- Examples: Vectorwise, Snowflake, SQL Server, Oracle, Amazon RedShift

CWL
in-memory SIMD 512 register

Plan Processing Direction

• Approach 1: Top-to-Bottom

- ▶ Start with the root and "pull" data up from its children.
- ▶ Tuples are always passed with function calls.

• Approach 2: Bottom-to-Top


- ▶ Start with leaf nodes and push data to their parents.
- ▶ Allows for tighter control of caches/registers in pipelines.

Wish
~~New~~
New
Code generation / Query Comp?

Access Methods

Access Methods

- An **access method** is a way that the DBMS can access the data stored in a table.
 - ▶ Located at the bottom of the query plan
 - ▶ Not defined in relational algebra.
- Three basic approaches:
 - ▶ Sequential Scan
 - ▶ Index Scan
 - ▶ Multi-Index / "Bitmap" Scan



Sequential Scan

- For each page in the table:
 - ▶ Retrieve it from the buffer pool.
 - ▶ Iterate over each tuple and check whether to include it.
 - ▶ Uses a buffer for materialization and vectorization processing models
- The DBMS maintains an internal cursor that tracks the last page / slot it examined.

```
for page in table.pages:  
    for t in page.tuples:  
        if evalPred(t):  
            // Do Something!
```

Sequential Scan: Optimizations

- This is almost always the worst thing that the DBMS can do to execute a query.
- Sequential Scan Optimizations:
 - ▶ Prefetching
 - ▶ Buffer Pool Bypass
 - ▶ Parallelization
 - ▶ Zone Maps
 - ▶ Late Materialization
 - ▶ Heap Clustering

Zone Maps

- Pre-computed aggregates for the attribute values in a page.
- DBMS checks the zone map first to decide whether it wants to access the page.

```
SELECT *  
FROM R  
WHERE val > 600
```

Original Data

val
100
200
300
400
400


Zone Map

type	val
MIN	100
MAX	400
AVG	280
SUM	1400
COUNT	5

100 / 1000 tuples


Late Materialization

- DSM DBMSs can delay stitching together tuples until the upper parts of the query plan.



Late Materialization


- DSM DBMSs can delay stitching together tuples until the upper parts of the query plan.



1 m


Late Materialization

- DSM DBMSs can delay stitching together tuples until the upper parts of the query plan.



Heap Clustering

- Tuples are sorted in the heap's pages based on the order specified by the clustering index.
- If the query accesses tuples using the clustering index's attributes, then the DBMS can jump directly to the pages that it needs.



EMP-ID | SALARY

Index Scan

- The query optimizer picks an index to find the tuples that the query needs.
- Which index to use depends on:
 - ▶ What attributes the index contains
 - ▶ What attributes the query references
 - ▶ The attribute's value domains
 - ▶ Predicate composition
 - ▶ Whether the index has unique or non-unique keys

OLTP

Index Scan

- Suppose that we have a single table with 100 tuples and two indexes:

- ▶ Index 1: age
- ▶ Index 2: dept

```
SELECT *  
FROM students  
WHERE age < 30  
       AND dept = 'CS'  
       AND country = 'US'
```

- ▶ Scenario 1: There are 99 people under the age of 30 but only 2 people in the CS department.
- ▶ Scenario 2: There are 99 people in the CS department but only 2 people under the age of 30.

Multi-Index Scan

- If there are multiple indexes that the DBMS can use for a query:
 - ▶ Compute sets of record ids using each matching index.
 - ▶ Combine these sets based on the query's predicates (union vs. intersect).
 - ▶ Retrieve the records and apply any remaining predicates.
- Postgres calls this Bitmap Scan.


Multi-Index Scan

- With an index on age and an index on dept,
 - ▶ We can retrieve the record ids satisfying age < 30 using the first,
 - ▶ Then retrieve the record ids satisfying dept = 'CS' using the second,
 - ▶ Take their intersection
 - ▶ Retrieve records and check country = 'US'.

```
SELECT *  
FROM students  
WHERE age < 30  
      AND dept = 'CS'  
      AND country = 'US'
```


Multi-Index Scan

- Set intersection can be done with bitmaps, hash tables, or Bloom filters.



Index Scan Page Sorting

- Retrieving tuples in the order that appear in an unclustered index is inefficient.
- The DBMS can first figure out all the tuples that it needs and then sort them based on their page id.



Expression Evaluation



Expression Evaluation


- The DBMS represents a WHERE clause as an expression tree.
- The nodes in the tree represent different expression types:
 - Comparisons ($=$, $<$, $>$, \neq)
 - Conjunction (AND), Disjunction (OR)
 - Arithmetic Operators ($+$, $-$, $*$, $/$, $\%$)
 - Constant Values
 - Tuple Attribute References

SELECT R.id, S.cdate

FROM R, S


WHERE R.id = S.id

AND S.value > 100




Parse tree


Expression Evaluation



Expression Evaluation




Expression Evaluation



Interpreted

Expression Evaluation

- Evaluating predicates in this manner is slow.
 - ▶ The DBMS traverses the tree and for each node that it visits it must figure out what the operator needs to do.
- Consider the predicate "WHERE 1=1"
- A better approach is to just evaluate the expression directly.
 - ▶ Think Just-In-Time (JIT) compilation



Conclusion

- The same query plan be executed in multiple ways.
- (Most) DBMSs will want to use an index scan as much as possible.
- Expression trees are flexible but slow.

Retrospective

What did we learn

- You are tired of systems programming
- You are exhausted
- Let's take a step back and think about what happened

Lessons learned

- Systems programming is hard
- Become a better programmer through the study of database systems internals
- Going forth, you should have a good understanding how systems work

Big Ideas

- Database systems are awesome – but are ~~not~~ magic.
- Elegant abstractions are magic.
- Declarativity enables usability and performance.
- Building systems software is more than hacking
- There are recurring motifs in systems programming.
- CS has an intellectual history and you can contribute.

SQL

slotted by
BFiree

clean
design

Opt. vs ps.

What Next?

- We have barely scratched the surface. Follow-on course: CS 8803 (DBMS Implementation - Part II)
 - ▶ Query Optimization
 - ▶ Concurrency Control
 - ▶ Logging and Recovery Methods
 - ▶ Query Compilation + Vectorization
- Stay in touch
 - ▶ Tell me when this course helps you out with future courses (or jobs!)
 - ▶ Ask me cool DBMS questions

Patrick Jones

Parting Thoughts

- You have surmounted several challenges in this course.
- You make it all worthwhile.
- Please share your feedback via CIOs.

2.5%
→ 80%