

# Lecture 25: Networking + Course Retrospective

Wed

# Recap

# User-Defined Functions

- A **user-defined function** (UDF) is a function written by the application developer that extends the system's functionality beyond its built-in operations.
  - ▶ It takes in input arguments (scalars)
  - ▶ Perform some computation
  - ▶ Return a result (scalars, tables)
- **Examples:** PL/SQL, pLPG/SQL


## Froid: UDF In-lining

- Automatically convert UDFs into relational expressions that are inlined as sub-queries.
  - ▶ Does not require the app developer to change UDF code.
- Perform conversion during the rewrite phase to avoid having to change the cost-base optimizer.
  - ▶ Commercial DBMSs already have powerful transformation rules for executing sub-queries efficiently.

• Reference

502x

# Architecture Overview



# Today's Agenda

- Database Access APIs
- Database Network Protocols
- Database Replication Protocols
- Kernel Bypass Methods
- Course Retrospective

# Database Access APIs

# Database Access APIs

es h400

- With a terminal-based client (*e.g.*, psql):
  - ▶ SQL queries are written by hand.
  - ▶ Results are printed to the terminal.
- Real programs access a database through an API:
  - ▶ Direct Access (DBMS-specific)
  - ▶ Open Database Connectivity (ODBC)
  - ▶ Java Database Connectivity (JDBC)




# Open Database Connectivity

- Standard API for accessing a DBMS. Designed to be independent of the DBMS and OS.
- Originally developed in the early 1990s by Microsoft and Simba Technologies.
- Every major relational DBMS now has an ODBC implementation.

# Open Database Connectivity

- ODBC is based on the "device driver" model.
- The **driver** encapsulates the logic needed to convert a standard set of commands into the DBMS-specific calls.
- The driver can emulate missing DBMS features (e.g.  cursors).



# Java Database Connectivity

JDBC

—

- Developed by Sun Microsystems in 1997 to provide a standard API for connecting a Java program with a DBMS.
- JDBC can be considered a version of ODBC for the programming language Java instead of C.

ODBC

—

# Java Database Connectivity

DB/PL  
Python

- Approach 1: JDBC-ODBC Bridge

- ▶ Convert JDBC method calls into ODBC function calls.

- Approach 2: Native-API Driver

- ▶ Convert JDBC method calls into native calls of the target DBMS API.

- Approach 3: Network-Protocol Driver

- ▶ Driver connects to a middleware that converts JDBC calls into a vendor-specific DBMS protocol.

- Approach 4: Database-Protocol Driver

- ▶ Pure Java implementation that converts JDBC calls directly into a vendor-specific DBMS protocol.

# Database Network Protocols

# Database Network Protocols

- All major DBMSs implement their own proprietary wire protocol over TCP/IP.
- A typical client/server interaction:
  - ▶ Client connects to DBMS and begins authentication process. There may be an SSL handshake.
  - ▶ Client then sends a query.
  - ▶ DBMS executes the query, then serializes the results and sends it back to the client.

## Existing Protocols

data system

- Most newer systems implement one of the open-source DBMS wire protocols. This allows them to reuse the client drivers without having to develop and support them.
- Just because one DBMS "speaks" another DBMS's wire protocol does not mean that it is compatible.
  - ▶ Need to also support catalogs, SQL dialect, and other functionality.

# Existing Protocols





# Protocol Design Space

- Row vs. Column Layout
- Compression
- Data Serialization
- String Handling
- Reference



CW1

Storage Engine

Logging

## Row vs. Column Layout

$1 \dots k : N$

- ODBC/JDBC are inherently row-oriented APIs.
  - ▶ Server packages tuples into messages one tuple at a time.
  - ▶ Client must deserialize data one tuple at a time.
- But modern data analysis software operates on matrices and columns.
- One potential solution is to send data in vectors.
  - ▶ Batch of rows organized in a column-oriented layout.

QE  $\rightarrow$  summary data

Sum(SAL)

# Compression

- Approach 1: Naive Compression
- Approach 2: Columnar-Specific Encoding
- More heavyweight compression is better when the network is slow.
- Better compression ratios for larger message chunk sizes.



# Data Serialization

## • Approach 1: Binary Encoding

- ▶ Client handles endian conversion.
- ▶ The closer the serialized format is to the DBMS's binary format, then the lower the overhead to serialize.
- ▶ DBMS can implement its own format or rely on existing libraries (ProtoBuffers, Thrift, FlatBuffers).

## • Approach 2: Text Encoding

- ▶ Convert all binary values into strings (atoi).
- ▶ Do not have to worry about endianness.

RPC

RPC

1234

1234

# String Handling

- Approach 1: Null Termination


- ▶ Store a null byte ('0') to denote the end of a string.
- ▶ Client scans the entire string to find end.

- Approach 2: Length-Prefixes

- ▶ Add the length of the string at the beginning of the bytes.


- Approach 3: Fixed Width

- ▶ Pad every string to be the max size of that attribute.



# Network Protocol Performance


- Transfer One Tuple from TCP-H LINEITEM



# Network Protocol Performance


- Transfer One Tuple from TCP-H LINEITEM

## *Transfer One Tuple from TCP-H LINEITEM*



# Network Protocol Performance

- Transfer 1m Tuples from TCP-H LINEITEM






# Database Replication Protocols



# Replication Protocols

- DBMSs will propagate changes over the network to other nodes to increase availability.
    - ▶ Send either physical or logical log records.
    - ▶ Granularity of log record can differ from WAL.
  - Design Decisions:
    - ▶ Replica Configuration
    - ▶ Propagation Scheme
- 

# Replica Configurations


- **Approach 1: Master-Replica**

- ▶ All updates go to a designated master for each object.
- ▶ The master propagates updates to its replicas without an atomic commit protocol.
- ▶ Read-only txns may be allowed to access replicas.
- ▶ If the master goes down, then hold an election to select a new master.

- **Approach 2: Multi-Master**

- ▶ Txns can update data objects at any replica.
- ▶ Replicas must synchronize with each other using an atomic commit protocol.

# Replica Configurations




# Propagation Scheme

- When a txn commits on a replicated database, the DBMS decides whether it must wait for that txn's changes to propagate to other nodes before it can send the acknowledgement to application.
- Propagation levels:
  - ▶ Synchronous (Strong Consistency)
  - ▶ Asynchronous (Eventual Consistency)

# Propagation Scheme

- **Approach 1: Synchronous**

- ▶ The master sends updates to replicas and then waits for them to acknowledge that they fully applied (i.e., logged) the changes.



# Propagation Scheme

- Approach 2: Asynchronous

- ▶ The master immediately returns the acknowledgement to the client without waiting for replicas to apply the changes.



~ A L W  
+ Strong

# Observation

- The DBMS's network protocol implementation is not the only source of slowdown.
- The OS's TCP/IP stack is slow.
  - ▶ Expensive context switches / interrupts
  - ▶ Data copying
  - ▶ Lots of latches in the kernel

user space  
↓  
kernel space



# Kernel Bypass Methods



# Kernel Bypass Methods

- Allows the system to get data directly from the NIC into the DBMS address space.
  - ▶ No unnecessary data copying.
  - ▶ No OS TCP/IP stack.
- Approach 1: Data Plane Development Kit
- Approach 2: Remote Direct Memory Access

RDMA

DPDK

# Data Plane Development Kit (DPDK)


- Set of libraries that allows programs to access NIC directly. Treat the NIC as a bare metal device.
- Requires the DBMS code to do more to manage memory and buffers.
  - ▶ No data copying.
  - ▶ No system calls.
- Example: ScyllaDB

# Remote Direct Memory Access

- Read and write memory directly on a remote host without going through OS.
  - ▶ The client needs to know the correct address of the data that it wants to access.
  - ▶ The server is unaware that memory is being accessed remotely (i.e., no callbacks).
- Example: Oracle RAC, Microsoft FaRM

# Data Export Performance

- Transfer 7GB of Tuples from TCP-C ORDER\_LINE



# Conclusion

# Conclusion

- A DBMS's networking protocol is an often overlooked bottleneck for performance.
- Kernel bypass methods greatly improve performance but require more bookkeeping.
  - ▶ Probably more useful for internal DBMS communication.

# Retrospective



## Lessons learned

- Let's take a step back and think about what happened
- Systems programming is both hard **and** rewarding
- Become a better programmer through the study of database systems internals
- Going forth, you should have a good understanding how systems work

# Big Ideas

SQL

- Database systems are awesome – but are not magic.
- Elegant abstractions are magic.
- Declarativity enables usability and performance.
- Building systems software is more than hacking
- There are recurring motifs in systems programming.
- CS has an intellectual history and you can contribute.

DSL

PM

RDMA

GPU

TLA+

## What Next?

- We have covered the entire stack of systems programming
  - ▶ Storage Management (Part 1)
  - ▶ Access Methods (Part 1)
  - ▶ Query Execution (Part 1)
  - ▶ Logging and Recovery Methods (Part 2)
  - ▶ Concurrency Control (Part 2)
  - ▶ Query Optimization (Part 2)
- Stay in touch
  - ▶ Tell me when this course helps you out with future courses (or jobs!)
  - ▶ Ask me cool DBMS questions

Network  
Architecture  
PL  
Security

# Parting Thoughts

- You have surmounted several challenges in this course.
- You make it all worthwhile.
- Please share your feedback via CIOS.
- Go forth and spread the gospel of data systems!

# Next Class

- Project Presentations