

Lecture 4: Recap - Query Processing

CREATING THE NEXT®

Today's Agenda

Query Processing

- 1.1 Recap
- 1.2 Query Processing
- 1.3 Sorting Algorithms
- 1.4 Aggregation Algorithms
- 1.5 Join Algorithms
- 1.6 Processing Models
- 1.7 CPU and I/O Parallelism
- 1.8 Conclusion

Recap

Access Methods

- Access methods are the alternative ways for retrieving specific tuples
- We covered two access methods: sequential scan and index scan
- Sequential scan is done over an unordered table heap
- Index scan is done over an ordered B-Tree or an unordered hash table
- Hash tables are fast data structures that support $O(1)$ look-ups

Hash Tables vs. B+Trees


- Hash tables are usually **not** what you want to use for indexing tables
 - ▶ Lack of ordering in widely-used hashing schemes
 - ▶ Lack of locality of reference → more disk seeks
 - ▶ Persistent data structures are much more complex (logging and recovery)
 - ▶ **Reference**
- The venerable B+Tree is always a good choice for your DBMS.
- Making a data structure thread-safe is notoriously difficult in practice.
- We focused on B+Trees but the same high-level techniques are applicable to other data structures.

Access Methods

- It is important to choose the right index for the target workload
 - ▶ Hash Table
 - ▶ B+Tree

Query Processing

Anatomy of a Database System [Monologue]



Anatomy of a Database System [Monologue]

- Process Manager
 - ▶ Manages client connections
- Query Processor
 - ▶ Parse, plan and execute queries on top of storage manager
- Transactional Storage Manager
 - ▶ Knits together buffer management, concurrency control, logging and recovery
- Shared Utilities
 - ▶ Manage hardware resources across threads


Anatomy of a Database System [Monologue]

- Process Manager
 - ▶ Connection Manager + Admission Control
- Query Processor
 - ▶ Query Parser
 - ▶ Query Optimizer (*a.k.a.*, Query Planner)
 - ▶ Query Executor
- Transactional Storage Manager
 - ▶ Lock Manager
 - ▶ Access Methods (*a.k.a.*, Indexes)
 - ▶ Buffer Pool Manager
 - ▶ Log Manager
- Shared Utilities
 - ▶ Memory, Disk, and Networking Manager

Query Plan

- The operators are arranged in a tree.
- Data flows from the leaves of the tree up towards the root.
- The output of the root node is the result of the query.

```
SELECT A.id, B.value  
FROM A, B  
WHERE A.id = B.id AND B.value > 100
```



Disk-Oriented DBMS

- We cannot assume that the results of a query fits in memory.
- We are going use the buffer pool to implement query execution algorithms that need to spill to disk.
- We are also going to prefer algorithms that maximize the amount of sequential access.

Sorting Algorithms

Why do we need to sort?

- Tuples in a table have no specific order.
- But queries often want to retrieve tuples in a specific order.
 - ▶ Trivial to support duplicate elimination (DISTINCT).
 - ▶ Bulk loading sorted tuples into a B+Tree index is faster.
 - ▶ Aggregation (GROUP BY).

Sorting Algorithms

- If data fits in memory, then we can use a standard in-memory sorting algorithm like quick-sort.
- If data does not fit in memory, then we need to use a technique that is aware of the cost of writing data out to disk.

External Merge Sort


- Divide-and-conquer sorting algorithm that splits the data set into separate runs and then sorts them individually.
- Phase 1 – Sorting
 - ▶ Sort blocks of data that fit in main-memory and then write back the sorted blocks to a file on disk.
- Phase 2 – Merging
 - ▶ Combine sorted sub-files into a single larger file.

Using B+Trees for Sorting

- If the table that must be sorted already has a B+Tree index on the sort attribute(s), then we can use that to accelerate sorting.
- Retrieve tuples in desired **sort order** by simply traversing the **leaf pages** of the tree.
- Cases to consider:
 - ▶ Clustered B+Tree
 - ▶ Unclustered B+Tree


Case 1 – Clustered B+Tree

- Traverse to the left-most leaf page, and then retrieve tuples from all leaf pages.
- This is always better than external sorting because there is no computational cost and all disk access is sequential.



Case 2 – Unclustered B+Tree

- Chase each pointer to the page that contains the data.
- This is almost always a bad idea. In general, one I/O per data record.



Aggregation Algorithms

Aggregation

- Collapse multiple tuples into a single scalar value.
- Two implementation choices:
 - ▶ Sorting
 - ▶ Hashing

Sorting Aggregation

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B','C')
ORDER BY cid
```


Filter

sid	cid	grade
53666	15-445	C
53688	15-826	B
53666	15-721	C
53655	15-445	C


*Remove
Columns*

cid
15-445
15-826
15-721
15-445


Sort

cid
15-445
15-445
15-721
15-826

enrolled(sid,cid,grade)

sid	cid	grade
53666	15-445	C
53688	15-721	A
53688	15-826	B
53666	15-721	C
53655	15-445	C

Sorting Aggregation

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B','C')
ORDER BY cid
```

Filter

sid	cid	grade
53666	15-445	C
53688	15-826	B
53666	15-721	C
53655	15-445	C

**Remove
Columns**

cid
15-445
15-826
15-721
15-445

Sort

**Eliminate
Dupes**

cid
15-445
15-445
15-721
15-826

enrolled(sid,cid,grade)

sid	cid	grade
53666	15-445	C
53688	15-721	A
53688	15-826	B
53666	15-721	C
53655	15-445	C

Alternatives to Sorting

- What if we **do not** need the data to be ordered?
 - ▶ Forming groups in `GROUP BY` (no ordering)
 - ▶ Removing duplicates in `DISTINCT` (no ordering)
- Hashing is a better alternative in this scenario.
 - ▶ Only need to remove duplicates, no need for ordering.
 - ▶ May be computationally cheaper than sorting.

Hashing Aggregate

- Populate an **ephemeral hash table** as the DBMS scans the table.
- For each record, check whether there is already an entry in the hash table:
 - ▶ GROUP BY: Perform aggregate computation.
 - ▶ DISTINCT: Discard duplicates.
- If everything fits in memory, then it is easy.
- If the DBMS must spill data to disk, then we need to be smarter.

Join Algorithms

Why do we need to join?

- We normalize tables in a relational database to avoid unnecessary repetition of information.
- We use the join operator to reconstruct the original tuples without any information loss.

Join Algorithms

- We will focus on combining **two tables** at a time with **inner equi-join** algorithms.
 - ▶ These algorithms can be tweaked to support other types of joins.
- In general, we want the smaller table to always be the left table (**outer table**) in the query plan.

Join vs Cross-Product

- $R \bowtie S$ is the most common operation and thus must be carefully optimized.
- $R \times S$ followed by a selection is inefficient because the cross-product is large.
- There are many algorithms for reducing join cost, but no algorithm works well in all scenarios.

Join Algorithms

- Nested Loop Join
 - ▶ Naïve
 - ▶ Block
 - ▶ Index
- Sort-Merge Join
- Hash Join

Join Algorithms: Summary

Join Algorithm	IO Cost	Example
Simple Nested Loop Join	$M + (m \times N)$	1.3 hours
Block Nested Loop Join	$M + (M \times N)$	50 seconds
Index Nested Loop Join	$M + (M \times C)$	Variable
Sort-Merge Join	$M + N + (\text{sort cost})$	0.75 seconds
Hash Join	$3 \times (M + N)$	0.45 seconds

Processing Models

Processing Model

- A DBMS's processing model defines how the system executes a query plan.
 - ▶ Different trade-offs for different workloads.
- Approach 1: Iterator Model
- Approach 2: Materialization Model
- Approach 3: Vectorized / Batch Model

Iterator Model

- Each query plan operator implements a Next function.
 - ▶ On each invocation, the operator returns either a single tuple or a null marker if there are no more tuples.
 - ▶ The operator implements a loop that calls next on its children to retrieve their tuples and then process them.
- Also called volcano or pipeline model.

Iterator Model

- This is used in almost every DBMS. Allows for tuple **pipelining**.
- Some operators have to block until their children emit all of their tuples.
- These operators are known as **pipeline breakers**
 - ▶ Joins, Subqueries, Order By
- Output control (e.g., LIMIT) works easily with this approach.
- **Examples:** SQLite, MySQL, PostgreSQL

Materialization Model

- Each operator processes its input **all at once** and then emits its output all at once.
 - ▶ The operator "materializes" its output as a single result.
 - ▶ The DBMS can push down **hints** into to avoid scanning too many tuples (*e.g.*, LIMIT).
 - ▶ Can send either a materialized row or a single column.
- The output can be either whole tuples (NSM) or subsets of columns (DSM)

Materialization Model

- Better for OLTP workloads because queries only access a small number of tuples at a time.
 - ▶ Lower execution / coordination overhead.
 - ▶ Fewer function calls.
- Not good for OLAP queries with large intermediate results.
- Examples: MonetDB, VoltDB

Vectorization Model


- Like the Iterator Model where each operator implements a Next function in this model.
- Each operator emits a **batch of tuples** instead of a single tuple.
 - ▶ The operator's internal loop processes multiple tuples at a time.
 - ▶ The size of the batch can vary based on hardware or query properties.
 - ▶ Useful in in-memory DBMSs (due to fewer function calls)
 - ▶ Useful in disk-centric DBMSs (due to fewer IO operations)

Vectorization Model

- Ideal for OLAP queries because it greatly reduces the number of invocations per operator.
- Allows for operators to use vectorized (SIMD) instructions to process batches of tuples.
- Examples: Vectorwise, Snowflake, SQL Server, Oracle, Amazon RedShift

Access Methods

- An **access method** is a way that the DBMS can access the data stored in a table.
 - ▶ Located at the bottom of the query plan
 - ▶ Not defined in relational algebra.
- Three basic approaches:
 - ▶ Sequential Scan
 - ▶ Index Scan
 - ▶ Multi-Index / "Bitmap" Scan




CPU and I/O Parallelism

Query Execution

- We discussed about how to compose operators together to execute a query plan.
- We assumed that the queries execute with a single worker (*e.g.*, thread).
- We now need to talk about how to execute with multiple workers.

```
SELECT R.id, S.cdate  
FROM R, S  
WHERE R.id = S.id AND S.value > 100
```



Why care about Parallel Execution?

- Increased performance.
 - ▶ Throughput
 - ▶ Latency
- Increased responsiveness and availability.
- Potentially lower total cost of ownership (TCO).

Parallel Execution

- CPU Parallelism
- I/O Parallelism

Inter- VS. Intra-Query Parallelism

- Inter-Query: Different queries are executed concurrently.
 - ▶ Increases throughput & reduces latency.
- Intra-Query: Execute the operations of a single query in parallel.
 - ▶ Decreases latency for long-running queries.

Observation

- Using additional processes/threads to execute queries in parallel won't help if the disk is always the main bottleneck.
 - ▶ Can make things worse if each worker is reading different segments of disk.

I/O Parallelism

- Split the DBMS installation across multiple storage devices.
 - ▶ Multiple Disks per Database
 - ▶ One Database per Disk
 - ▶ One Relation per Disk
 - ▶ Split Relation across Multiple Disks

Conclusion

Parting Thoughts

- Access methods are the alternative ways for retrieving specific tuples
- Hashing is almost always better than sorting for operator execution.
- Caveats:
 - ▶ Sorting is better on non-uniform data.
 - ▶ Sorting is better when result needs to be sorted.
- Good DBMSs use either or both.

Parting Thoughts

- The same query plan can be executed in multiple ways.
- A DBMS's processing model defines how the system executes a query plan.
- (Most) DBMSs will want to use an index scan as much as possible.
- Parallel execution is important.
- (Almost) every DBMS supports this.
- This is really hard to get right.
 - ▶ Coordination Overhead
 - ▶ Scheduling
 - ▶ Concurrency Issues
 - ▶ Resource Contention

Next Class

- Logging and Recovery Protocols