

Time Series Data



CS 7450 - Information Visualization
November 21, 2016
John Stasko

Learning Objectives



- Identify different types of temporal data
 - discrete, interval, linear, cyclic, continuous, ordinal, branching
- List potential tasks for temporal data analysis
- Familiarity with basic temporal representations
 - Line graph, spiral chart, bubble tracks
- Familiarity with specific temporal representation techniques and systems
 - Lifelines, ThemeRiver/Streamgraph, Cluster/calendar view, LiveRAC, Connected scatterplot
- Discuss the benefits & limitations of all the techniques
- Be able to apply learned knowledge and examples to the design of visualizations for new data and problems

Time Series Data



- Fundamental chronological component to the data set

75 % of 4000 samples of graphics from newspapers and magazines ('74-'80) were time-series data!

Tufte Vol. 1



Data Sets



- Each data case is likely an event of some kind
- One of the variables can be the date and time of the event
- Examples:

sunspot activity
baseball games
medicines taken
cities visited
stock prices

How about events with a duration?
Discrete vs. Interval

Data Mining



- Data mining domain has techniques for algorithmically examining time series data, looking for patterns, etc.
- Good when objective is known a priori
- But what if not?
 - Which questions should I be asking?
 - InfoVis better for that

Fall 2016

CS 7450

5

Tasks



- What kinds of questions do people ask about time series data?

Fall 2016

CS 7450

6

Time Series Tasks

(from class)



- What happened at time Y?
- What are the changes & patterns over time?
- When does variable x hit an extreme?
- What are the intervals of time represented in the data?
- Find a variable whose changes/pattern match some pattern.
- Find correlations of particular events.
- What will variable x do in the future?
- How do two variables relate over time?
- What is a variable's frequency distribution over time?
- How many events of type x occur in a certain time?

Fall 2016

CS 7450

7

Time Series User Tasks



- Examples
 - When was something greatest/least?
 - Is there a pattern?
 - Are two series similar?
 - Do any of the series match a pattern?
 - Provide simpler, faster access to the series

Fall 2016

CS 7450

8

Other Tasks



- Does data element exist at time t ?
- When does a data element exist?
- How long does a data element exist?
- How often does a data element occur?
- How fast are data elements changing?
- In what order do data elements appear?
- Do data elements exist together?

Fall 2016

CS 7450

Muller & Schumann '03
citing
MacEachern '95

9

Taxonomy



- Discrete points vs. interval points
- Linear time vs. cyclic time
- Ordinal time vs. continuous time
- Ordered time vs. branching time vs. time with multiple perspectives

Fall 2016

CS 7450

Muller & Schumann '03
citing
Frank '98

10

Fundamental Tradeoff



- Is the visualization time-dependent, ie, changing over time (beyond just being interactive)?
 - Static
 - Shows history, multiple perspectives, allows comparison
 - Dynamic (animation)
 - Gives feel for process & changes over time, has more space to work with

Fall 2016


CS 7450

11

Standard Presentation



- Present time data as a 2D line graph with time on x-axis and some other variable on y-axis




Fall 2016

CS 7450

12

Classic Views




Fall 2016

CS 7450

13

After big declines, opportunities followed

A look back at market history shows that the U.S. stock market, represented here by Standard & Poor's 500 Composite Index, demonstrated strength after big declines. Even after three steep drops, the S&P 500 still provided an average 10-year annualized return of nearly 11% as of December 31, 2012. However, it's important to note that past results aren't predictive of the future.



Fall 2016


CS 7450

14

Fun One



What If Everybody in Canada Flushed At Once?



http://www.patspapers.com/blog/item/what_if_everybody_flushed_at_once_Edmonton_water_gold_medal_hockey_game/

Fall 2016

CS 7450

15

Today's Focus



- Examination of a number of case studies
- Learn from some of the different visualization ideas that have been created
- Can you generalize these techniques into classes or categories?

Fall 2016

CS 7450

16

Visual Methods for Analyzing Time-Oriented Data

Wolfgang Aigner, Silvia Miksch, Wolfgang Müller, Heidrun Schumann, and Christian Tominski

Abstract—Providing appropriate methods to facilitate the analysis of time-oriented data is a key issue in many application domains. In this paper, we focus on the unique role of the parameter time in the context of visually driven data analysis. We will discuss three major aspects—visualization, analysis, and the user. It will be illustrated that it is necessary to consider the characteristics of time when generating visual representations. For that purpose, we take a look at different types of time and present visual examples. Integrating visual and analytical methods has become an increasingly important issue. Therefore, we present our experiences in temporal data abstraction, principal component analysis, and clustering of larger volumes of time-oriented data. The third main aspect we discuss is supporting user-centered visual analysis. We describe event-based visualization as a promising means to adapt the visualization pipeline to needs and tasks of users.

Index Terms—Time-oriented data, visualization, analysis, user.


1 INTRODUCTION AND MOTIVATION

CONSIDERING the characteristics of data is vital when designing visual representations. A salient characteristic is whether or not data are related to time. That time is an outstanding dimension is reflected by Shneiderman's Taskby Data Type Taxonomy [1], where temporal data are identified as one of seven basic data types. Nowadays, time-oriented data are ubiquitous in many application domains as, for example, in business, medicine, history, planning, or project management. For a long time, visual methods have been successfully applied to analyze such data. A wide repertoire of interactive techniques for visualizing data sets with temporal dependencies is available. However, many current

- visualization,
- analysis, and
- user.

In Section 2, we focus on visualization methods for time-oriented data. We will show that the term *time-oriented data* comprises several types of data with different meanings and applications. Designing or applying visual representations can only be successful if one is aware of these different types. This will be demonstrated with several examples of visualization techniques that stem from our own work or are available in the literature.

Usually, time-oriented data are large—not only in terms of the number of data items but also in terms of the number



Bigger overview

<http://www.timeviz.net/>

Tasks




- See commonly available times for group of people
- Show both details and broader context

Fall 2016

CS 7450

21

One Solution



Spiral Calendar

Mackinlay, Robertson & DeLine
UIST '94


Fall 2016

CS 7450


22

Another View

Empty spots on back wall show good times



Time Lattice



Uses projected shadows on walls

Fall 2016

CS 7450

23

Example 2



- Personal histories
 - Consider a chronological series of events in someone's life
 - Present an overview of the events
 - Examples
 - Medical history
 - Educational background
 - Criminal history

Fall 2016

CS 7450

24

Tasks



- Put together complete story
- Garner information for decision-making
- Notice trends
- Gain an overview of the events to grasp the big picture

Fall 2016

CS 7450


25

Lifelines Project



Visualize personal history in some domain

Video Demo



Plaisant et al
CHI '96

Fall 2016

CS 7450

26

Benefits



- Reduce chances of missing information
- Facilitate spotting trends or anomalies
- Streamline access to details
- Remain simple and tailorable to various applications

Challenges



- Scalability (thousands of tests)
- Can multiple records be visualized in parallel (well)? Comparisons
 - What trends do you see in the last 8 EKGs?
 - Compare the 8 people who all seem to have the same problem.

New Work




- Work with query results
- Need to align, rank, and filter
- Medical application:
 - Look for temporal coincidence of two events
First pneumonia and asthma attack
 - Medical professionals don't want to fool with zooming and panning

Fall 2016

CS 7450

31

LifeLines2: Focus on alignment along events



Video

Fall 2016

CS 7450

Wang et al
CHI '08 32

Example 3



- Understand patterns of presence/events over time
- Focus: People's presence/movements in some space
- Situation:
 - Workers punch in and punch out of a factory
 - Want to understand the presence patterns over a calendar year
- Alternate: Power plant electricity usage over a year

Particulars



- Who is user? – Factory boss/manager
- Problem – Show this large amount of data in an easily understandable and query-able manner
- Data – Punch in/out times for workers

Ideas




- Any ideas on what we could do here?

Fall 2016

CS 7450

35

One Idea



Good
Typical daily pattern
Seasonal trends

Bad
Weekly pattern
Details

Fall 2016

CS 7450

36

Approach Taken




- Cluster analysis
 - Find two most similar days, make into one new composite
 - Keep repeating until some preset number left or some condition met
- How can this be visualized?
 - Ideas?

Fall 2016

CS 7450

37

Display



Fall 2016

CS 7450

38

Characteristics



- Unique types of days (individual or cluster) get their own color
- Contextually placed in calendar and line graph for it is shown
- Stop clustering when a threshold met or at a predetermined number of clusters

Interaction



- Click on day, see its graph
- Select a day, see similar ones
- Add/remove clusters

Insights



- Traditional office hours followed
- Most employees present in late morning
- Fewer people are present on summer Fridays
- Just a few people work holidays
- When the holidays occurred
- School vacations occurred May 3-11, Oct 11-19, Dec 21-31
- Many people take off day after holiday
- Many people leave at 4pm on December 5
 - Special day in Netherlands, St. Nicholas' Eve


Example 4



- Consider a set of speeches or documents over time
- Can you represent the flow of ideas and concepts in such a collection?

ThemeRiver

Havre et al
InfoVis '00



Fall 2016


CS 7450

We saw earlier

43

Mapping

- River height (thickness) encodes relative frequency of themes
- Key events overlaid



Fall 2016

Example 5




- Similar idea – Stacked graph
- Created new technique called Streamgraph
- Goals:
 - Show multiple time series
 - Be able to see sum
 - Make labels legible
 - Be able to distinguish different layers
 - Make it aesthetically pleasing

Fall 2016

CS 7450

45

Interactive Application



http://www.nytimes.com/interactive/2008/02/23/movies/20080223_REVENUE_GRAPHIC.html

Fall 2016

CS 7450

46

Design Issues



- Curve shape
 - Wiggle, symmetry, balance
 - Definitely some interesting math to do it
 - Color choice
 - Labeling
 - Layer ordering
-
- Paper provides very nice discussion of this


Fall 2016

CS 7450

47

Example 6

<http://researchweb.watson.ibm.com/history/>



Flow of changes across electronic documents

Fall 2016

CS 7450


48

Technique



Length – how much text

Time



Make connections

Fall 2016



CS 7450

49

Brightness indicates text age
Registered authors color-coded
Anonymous authors in white

Spacing by revision #

Spacing by time



Fall 2016

Example 7



- Computer system logs
- Potentially huge amount of data
 - Tedious to examine the text
- Looking for unusual circumstances, patterns, etc.

Fall 2016

CS 7450

51

MieLog



- System to help computer systems administrators examine log files
- Interesting characteristics
 - Discuss


Takada & Koike
LISA '02

Fall 2016


CS 7450

52

System View



Another View



Fall 2016

CS 7450

54

Interactions



- Tag area
 - Click on tag shows only those messages
- Time area
 - Click on tiles to show those times
 - Can put line on histogram to filter on values above/below
- Outline area
 - Can filter based on message length
 - Just highlight messages to show them in text
- Message area
 - Can filter on specific words

Fall 2016

CS 7450

55

Thoughts



- Strengths/weaknesses?
- Other domains in which a similar system could be used?

Fall 2016

CS 7450

56

Example 8



- Very large scale temporal log data
- Show more context of what else was going on at that time
 - Likely have to abstract some then
 - Allow several different levels of detail at once
- Allow drill-down for details
- Domain: Computer systems management


McLachlan et al
CHI '08

Fall 2016

CS 7450

57

LiverAC: Computer system management data



Heavy interaction
Semantic zooming

Fall 2016

CS 7450

58

Interaction is Vital

Video




Figure 3. LiveRAC shows a full day of system management time-series data using a reorderable matrix of area-aware charts. Over 4000 devices are shown in rows, with 11 columns representing groups of monitored parameters. (a): The user has sorted by the maximum value in the *CPU* column. The first several dozen rows have been stretched to show sparklines for the devices, with the top 13 enlarged enough to display text labels. The time period of business hours has been selected, showing the increase in the *In pkts* parameter for many devices. (b): The top three rows have been further enlarged to show fully detailed charts in the *CPU* column and partially detailed ones in *Swap* and two other columns. The time marker (vertical black line on each chart) indicates the start of anomalous activity in several of *spire*'s parameters. Below the labeled rows, we see many blocks at the lowest semantic zoom level, and further below we see a compressed region of highly saturated blocks that aggregate information from many charts.

Fall 2016

CS 7450

59

Design Principles



- Show familiar visual representations whenever possible
- Provide side-by-side comparisons of small multiple views
- Spatial position is strongest visual cue
- Multiple views are more effective when coordinated through explicit linking

Fall 2016

CS 7450

60

Design Principles



- Follow Shneiderman's mantra
- Avoid abrupt visual change
- User actions should receive immediate visual feedback

- Assertion: Showing several levels of detail simultaneously provides useful high information density in context

Fall 2016

CS 7450

61

Example 9



- Connected Scatterplot
- Showing two variables over time
 - Use standard scatterplot
 - Plot the two values at different points in time
 - Connect those points, in order, with a line
 - Label key times (e.g., years)

Fall 2016

CS 7450

62


Hannah Fairfield
NY Times

Notice the narrative
elements too

Fall 2016

CS 7450

63



Published: October 9, 2013

FACEBOOK TWITTER GOOGLE+ EMAIL SHARE

Janet L. Yellen, on the Economy's Twists and Turns




1 2 3 4 5 6 7 NEXT >

Inflation and unemployment

The Federal Reserve is said to have a “dual mandate”: keeping inflation in check and the unemployment rate low. These measures, which tend to change cyclically and in concert with each other, are charted for every year since the Great Depression.

In speeches and in meetings, Ms. Yellen, the nominee for the next Fed leader, has commented on the Fed's actions during significant periods, providing a window into her views and priorities.



*The natural rate of unemployment is defined as the lowest sustainable level of unemployment over the long term. If the rate is pushed any lower than the natural level, wages and prices would rise.


BY TOM ICHIKAWA/NY TIMES ARCHIVE

<http://www.nytimes.com/interactive/2013/10/09/us/yellen-fed-chart.html>

Fall 2016

CS 7450

64



Color Legend (continent)

- Africa
- Asia
- Europe
- Middle East
- North America
- Oceania
- South America

Task

Select two countries whose InfantMortality dropped first, then increased later.

Ctrl-Click on a country (in chart) to set an answer.

Answers set: 0/2

Next

Click on "Next" when finished (or "Give Up" if you cannot find all the answers).

Give Up Next

"Traces" in Gampinder-style visualization

Robertson et al
TVCG (InfoVis) '08

Fall 2016

CS 7450

65

<http://www.dundas.com/blog-post/in-praise-of-connected-scatter-plots/>

Nice Article

Fall 2016

CS 7450

A. Cairo

66

Example 10



- Serial, periodic data
- Data with chronological aspect, but repeats and follows a pattern over time
 - Hinted at in last case study
- How might one visualize that?

Fall 2016

CS 7450

67

Using Spirals



- Standard x-y timeline or tabular display is problematic for periodic data
 - It has endpoints
- Use spiral to help display data
 - One loop corresponds to one period

Fall 2016

CS 7450

Carlis & Konstan
UIST '98

68

Basic Spiral Display



One year per loop
Same month on radial bars
Quantity represented by size of blob

Is it as easy to see serial data as periodic data?




Figure 2. An indented spiral, with spokes, showing monthly consumption percentages for *Baphia Cappardifolia* during the period 1980 – 1988.

Fall 2016

CS 7450

69

Advanced Spiral

Same mapping as previous one

Different foods represented by different colors and drawn at different heights

Can you still see serial and periodic attributes?

As with all 3-D, requires navigation




Figure 3. A spiral display of monthly consumption percentages for all 112 foods during the period 1980 – 1988.

Fall 2016


CS 7450

70

Compare with Spotfire



Another standard spiral display
Color mapped to movie type
+/- compared to Spotfire?




Fall 2016

CS 7450

71

Unknown Periods



What if a data set doesn't have a regular temporal period?
Must do some juggling to align periods

Fall 2016

CS 7450

72

Example 11



- How about events in time and place?
 - Many applications of this problem

GeoTime



- Represent place by 2D plane (or maybe 3D topography)
- Use 3rd dimension to encode time
- Object types:
 - Entities (people or things)
 - Locations (geospatial or conceptual)
 - Events (occurrences or discovered facts)

Useful Widgets

<http://simile-widgets.org/>

Timeline

Web Widget for Visualizing Temporal Data

With this widget, you can make beautiful interactive timelines like the one below. Try dragging it horizontally or using your mouse-wheel. Click on each event for more details.

[Switch theme](#)



Timeplot

Web widget for plotting Time Series

Timeplot is a DHTML-based AJAXy widget for plotting time series and overlay time-based events over them (with the same data formats that [Timeline](#) supports). Here is a live example:



Simile project

Fall 2016

CS 7450

77

Conclusions

- Think about the data
 - What characteristics?
- Can InfoVis help?
 - Maybe not needed
- Think about the visualization techniques
- Which technique(s) work best for your problem?

Fall 2016

CS 7450

78

Taxonomy



- Discrete points vs. interval points
- Linear time vs. cyclic time
- Ordinal time vs. continuous time
- Ordered time vs. branching time vs. time with multiple perspectives

Fall 2016

CS 7450

Muller & Schumann '03
citing
Frank '98

79

Learning Objectives



- Identify different types of temporal data
 - discrete, interval, linear, cyclic, continuous, ordinal, branching
- List potential tasks for temporal data analysis
- Familiarity with basic temporal representations
 - Line graph, spiral chart, bubble tracks
- Familiarity with specific temporal representation techniques and systems
 - Lifelines, ThemeRiver/Streamgraph, Cluster/calendar view, LiveRAC, Connected scatterplot
- Discuss the benefits & limitations of all the techniques
- Be able to apply learned knowledge and examples to the design of visualizations for new data and problems

Fall 2016

CS 7450

80

Reading



- Mereilles chapter 3

Fall 2016

CS 7450

81

Upcoming



- **No class Weds**
 - Thanksgiving break
- Visual Analytics
- Exam

Fall 2016

CS 7450

82

References



- Spence and CMS books
- All referred to articles
- Jim Foley & Chris Plaue's take on these slides